sks



SKS series BS2012 is the innovation among the SKS basic models to enhance the segment of hands-free indoor stations audio/video

SKS series BSV2012 video

With the new BSV2012 video SKS completes its high-quality product line with a well-priced basic model in the video sector. This system offers convincing features for single family homes as well as large building projects.

The BSV2012 video allows optimal operability for any target group. Three capacitive concave-shaped buttons for call acceptance, door opening and call deactivation are located below the display.

Such functions as the selection of a ringtone or its volume as well as the contrast and brightness of the display are set via the menu of the user-friendly touch screen. There are 8 front door and 4 floor ringtones available.

With an installation depth of only 17 mm and its glossy white surface the BSV2012 video hands free version unobtrusively fits into any home environment.

Since there are no mechanical parts, the unit impresses with a long service life and an easy to clean surface.



SKS series BS2012 audio


The BS2012 audio is the innovation of SKS basic models within the segment of audio hands-free indoor stations. The indoor station can be easily operated via 6 concave-shaped buttons which allow an optimal operability for any target group.

Just like other SKS products, this indoor station presents itself in a well-balanced design and focuses on the central functions of intercom systems.

Due to the lack of mechanical elements, this system features a long-life span as well as easy, hygienic cleaning.

With only 13 mm installation depth, the BS2012 audio adapts itself very well to the respective living environment. Harmonic ringtones add to the pleasant ambiance the device contributes to.

By reducing the design to the essential aspects and due to its optimal haptic, the door station BS2012 is an ideal and uncompromising product for any builder.



Performance features BSV2012 Video

- SKS BUS technology
- Key functions: call acceptance, door opening, switching it off (call is automatically switched back on after 12 hours)
- Additional functions via touch display: switch function available (via switch actuator 300022 (4507) without additional wires), ringtone selection and its volume, as well as color, brightness and contrast of the display
- TFT color display is automatically switched on when door bell has been rung
- Visual signal for call via LED
- Video and audio privacy function
- One-man installation and programming
- Optional parallel connection of up to 3 indoor stations
- 8 interval door calls and 4 floor call melodies
- Menus available in German or English
- Hands free function
- Background noise suppression when speaking
- Internal call for up to 6 parties
- Polyphonic ringtones available
 (differentiation between door call and floor call possible)
- 5 settings for ringtone volume
- Surface mounted

Performance features BS2012 Audio

- SKS BUS technology
- Key functions: call acceptance, door opening, setting the volume and the melodies of the ringtone, switching it off (call is automatically switched back on after 12 hours), switch function available (via switch actuator 300022 (4507) without additional wires)
- Visual signal for call via LED
- Audio privacy function
- One-man installation and programming
- Optional parallel connection of up to 4 indoor stations
- 8 interval door calls and 4 floor call melodies
- Hands free function
- Background noise suppression when speaking
- Internal call for up to 2 parties
- Polyphonic ringtones available (differentiation between door call and floor call possible)
- 5 settings for ringtone volume
- Operation via 6 concave-shaped buttons (allows for optimal handling by any age group)
- Mounting only with in-wall flush boxes or cavity-wall boxes
- Surface mounted

Individual door stations

We design your door station individually in accordance with your personal ideas and requirements. A sophisticated design scheme allows for a variety of solutions taking into account the required scope of functions and the size of the unit.







Choice of colors based on RAL – there are no limits of color design for this unit. The door station may pick up the color theme of the surrounding architecture or create its own color effects – according to your requirements.

