

SKS COMFORT door station multitouch with intuitive 10,1" touch display

Multifunctionality and creative freedom in noble looks: The COMFORT combines the functionality of audio/video indoor station, access control and information system.



A high-resolution 25.65 cm (10.1") color display guarantees an easy, intuitive operation as smartphone and tablet users are used to. The self-explanatory graphic presentation is accompanied by a visual feedback. These and other features make the COMFORT 10.1" an attractive product for each age group.

The matching **housing** consists of a screwless stainless steel front panel and an in-wall housing.

6-wire						
Item No.	Desciption	Color				
600053	COMFORT display multitouch, 10.1", ML	black				
600058 In-wall housing for screwless installation						
	reisempfehlung in EURO zuzüglich gesetzlicher Mehrwerts 1 in Breite x Höhe x Tiefe.	teuer.				

. .

- 6-wire video/audio technology
- Compatible with all SKS BUS audio and video indoor stations
- 25.65 cm (10.1") sized multitouch display
- Easy and intuitive operation
- Comfortable search function
- Configuration at the device or via web interface
- Bell button as text or vector image (jpg, png or svg)
- Code lock function with random number display
- For the installation of the COMFORT door station multitouch 10.1" a housing is needed
- Installed flush-mounted in an in-wall housing with stainless steel front panel, a stele or post box system

More or less barrier-free following DIN 18040

Functional overview



Welcome screen

If a person approaches the door station, the color display is switched on automatically.

q	K Namen suchen O-	
	Haus 1	
	Haus 2	
	Haus 3	
	Haus 4	
	Haus 5	
	Haus 6	
	Haus 7	
	Haus 8	
	sks	

Well-structured name search using groups

At a central door the residents of each house can be assigned to a group (e. g. houses 1 to 3 in a residential estate).

Start-up/configuration

Easy start-up and configuration via the web interface, using a tablet or PC/laptop.

Optionally the configuration can directly be done at the door station.

×				-
Bewohnerkonfigur	ation	• Text	O Bild	
Bewohnerbilder	1			
Beschriftungen än	dern			-
Einstellungen	A1			
System			Pitt mit 4	ittern
	Arch	hitekten		
Konfiguration been		ller + Gsundi		-
	NUT	ler + Gsundi		
	Mail	ller, Mueller, Gsundi, Architekt, Archite	ktur	
	+	1	Tür-PIN	
			11	

Functional overview



Functions displayed – barrier-free according to DIN 18040

The hearing-impaired get symbolic and textual status information on screen: After ringing "Ruf gesendet" (Call has been sent) appears on the display. When the call is answered "Sie sprechen mit..." (You are talking to) is displayed and when the door opener is activated it says "Die Tür wurde geöffnet" (The door has been opened).



Virtual code lock – maximum security

Using the virtual code lock function the COMFORT door station may also function as a door opener. Thanks to the randomly displayed number pad with digits $0 \dots 9 -$ for every use the numbers are displayed in a different order – a maximum security against being spyed on is guaranteed.



All information can also be found in our COMFORT Film.

www.sks-kinkel.de/en/door-stations/comfort-door-station

Functional overview





An ideal combination

For outdoors SKS manufactures door stations, steles and post box systems individually according to the customer's wishes. These systems are available in a large variety of materials and with short lead times.

> Stele in brushed stainless steel equipped with a flush-mounted COMFORT door station 10.1" and color camera

IP versions

COMFORT door stations touch are also available in an IP version. Further information can be found under www.sks-kinkel.de/comfort-ip



Please do contact us at any time for further information. On site we support you with our SKS experts, we gladly provide you with the address and phone number.



sks

SKS-Kinkel Elektronik GmbH, Im Industriegebiet 9, 56472 Hof/Westerwald Tel +49 (0) 2661/98088-0, Fax -200, info@sks-kinkel.de, www.sks-kinkel.de